




## ***INTRATONE: a complete solution to monitor and manage sets of keys***

- 1. Choose **REAL INNOVATION**, without changing all your equipment, by identifying your keys
- 2. Configure your system **to save time** via a key-tracking option
- 3. Store your keys and control their movement hassle-free with **www.intratone.com** under **management website/my keys**

KEY MANAGEMENT







## *The easiest and most affordable*

### *Identify your keys*


By associating them with the electronic keyring, you can assign a unique no. to your keys (MIFARE technology).



### *Track your keys through your secure online management site*

In just a few clicks, you can programm each set of keys with the information you need.

①



②



[www.intratone.com](http://www.intratone.com)  
under  
"management website/my keys"

### *Store your keys according to your needs*



①

**Key safe:**  
Have your keys where you need them

②

**Key cabinet:**  
Secure all your keys



Auto-management  
of equipment

No commitment  
No subscription


Vandal-proof

# *solution to manage your sets of keys*

*Efficiency and security*

*A complete, interconnected solution*

All your equipment communicates and updates continuously.



Automatic updating  
between all INTRATONE  
management sites

No software  
to be installed

No need  
for a programmer

KEY MANAGEMENT



# Communicating KEY SAFE

- ✦ Remote, secure opening to authorised persons
- ✦ Remote call-activated opening
- ✦ Management via "Organigramme" in Real-time and remotely



Electronic tag

Communicating key safe, for integration or stand-alone



REMOTE ONLINE MANAGEMENT  
[www.intratone.com](http://www.intratone.com)



1 audio-call  
button version

"EXCLUSIVE"  
VERSION

Audio alerts when open too long	•
Technical alert: break-in (strikes against the cabinet)	•
Technical alert: set of keys X removed	•
Technical alert: set of keys X returned	•
Event log on the management website ( <a href="http://organigramme.info">organigramme.info</a> )	•
Management of both mechanical and electronic keys ( <a href="http://organigramme.info">organigramme.info</a> )	•

CAN HOLD UP TO 3 SETS OF KEYS

3 available versions:

Key safe integrated into the Invisible camera video intercom

Flush-fit key safe - stainless steel finish

Key safe to be integrated into a post / door - stainless steel finish



## PRODUCT PLUS POINTS

Electronic tags are compatible with key cabinets.

You can manage everything via [www.organigramme.info](http://www.organigramme.info):

Key-dedicated equipment (cabinets, key safes and electronic tags).  
User-friendly.

## OPENING METHODS

	Key safe only with proximity reader	Key safe combined with intercom
Authorised badges	•	•
Keypad code	•	•
Mobile key	no	no
Telephone key	no	•


## TECHNICAL SPECIFICATIONS

POWER SUPPLY	CABLING	SIZE (L X H X D)		ENVIRONMENT
Key safe, 12/24 V DC <b>2 A</b>	Key safe - GPRS unit or central unit <b>4 wires (2 twisted pairs)</b> <b>Ø 8 mm</b> <b>Max. distance: 100 m</b>	Key safe with stainless steel façade, flush-fit <b>150 x 220 x 48 mm</b> <i>Bare key safe to be integrated into a post (02-0116-EN)</i> <b>122 x 186 x 39 mm</b>	Key safe integrated into the 3G invisible camera intercom <b>150 x 460 x 48 mm</b>	Operating temperature Key box <b>-20°C to +70°C</b> Storage temperature <b>-20°C to +70°C</b> Safe protection class <b>IP55 - Outdoor fitting</b>

## COMMUNICATING KEY SAFE RANGE

REFERENCES	FLUSH-FIT - STAINLESS STEEL FACADE	OUR PRICES
02-0117-EN	"Exclusive" version	
	FOR INTEGRATION INTO A POST OR WALL - STAINLESS STEEL FACADE	
02-0116-EN	"Exclusive" version	
	VISIO INTERCOMS ONLY, WITH 12-KEY BACKLIT KEYPAD, PROXIMITY READER AND INTEGRATED KEY SAFE - FLUSH-FIT	
02-0104-EN	"Exclusive" version	
	COMPLETE PACKS INCLUDING 1 VISIO INTERCOM WITH INTEGRATED KEY SAFE + 1 CENTRAL UNIT - FLUSH-FIT	
02-0111-EN	1,000 names, stainless steel, with "Exclusive" version key safe (with the 2-door central unit 03-0101-EN)	
02-0112-EN	100 names, stainless steel, with "Exclusive" version key safe (with the 1-door central unit 03-0102-EN)	
	<b>INTRABOX DATA ECO</b> COMPLETE PACKS FOR MANAGING 1 ACCESS POINT IN REAL-TIME AND REMOTELY, WITHOUT SUBSCRIPTION <i>Includes 1 GPRS module and 10 years of unlimited DATA updates</i>	
06-0106-EN	INTRABOX ECO DATA "EXCLUSIVE" KEY SAFE: 1 key safe, "Exclusive" version with proximity reader (02-0119-EN) + 1 GPRS module, including unlimited DATA updates for 10 years	
06-0126-EN	"Exclusive" key box, 1 audio call button - Flush-fit - Stainless steel: Intercom, 1 call button, with "Exclusive" key box (02-0117-EN) + MIFARE proximity reader + a 3G communication module and unlimited audio updates, guaranteed for 15 years. 3 tags supplied.	
	MIFARE – ETIKTRONIK (FOR "EXCLUSIVE" KEY SAFES AND KEY CABINETS)	
08-0113	Box of 30 Etiktronik electronic tags - blue	
08-0114	Box of 30 Etiktronik electronic tags - red	
08-0115	Box of 30 Etiktronik electronic tags - green	
08-0116	Box of 30 Etiktronik electronic tags - 10 blue - 10 red - 10 green	
08-0117-EN	Box of 90 Etiktronik electronic tags - 30 blue - 30 red - 30 green + 1 USB programmer (12-0115-EN)	

## SIMPLIFIED DIAGRAM



Connects in parallel to all compatible products





# COMMUNICATING KEY CABINET

- ✦ *Easy to fit and set up (in a few hours only)*
- ✦ *Unique and highly intuitive management system*
- ✦ *Connects with up to 15 secondary cabinets (manages 504 sets of keys)*



16-0101-EN **Key cabinet**, Main module including a 7" touch screen + 1 proximity reader (MIFARE) + unlimited updates for 12 years (integrated 3G module) - capacity for 24 sets of keys. Includes 1 programmer, 1 box of 30 electronic tags in assorted colours+ 1 pen and a 15 V power supply.



REMOTE ONLINE MANAGEMENT  
[www.intratone.com](http://www.intratone.com)



## MANAGEMENT MODE

Real-time (3G)	•
Read/Write	no

## INSTALLATION

3G unit integrated into the main module	•
Option of remotely positioning a GSM aerial	no
Option of remotely positioning a 2 <sup>nd</sup> 3G unit	•

## FUNCTIONS

Number of additional cabinets possible	15
Backup power-supply duration (Super CAPA*)	1 hour
MIFARE compatible reader	•
Break-in alert	•
Number of users	12,000
Capacity per secondary cabinet (no. of sets of keys)	24
Capacity per additional cabinet (no. of sets of keys)	32
Number of sets of keys per agent	2,048
Timestamped events storage	3 months
Number of user codes/badges	12,000
Time slots	•
Event alerts by email	•

\* No maintenance, fully charged in 1 hour



Additional module

Electronic tag



## TECHNICAL SPECIFICATIONS

POWER SUPPLY	CABLING	SIZE (L X H X D)	ENVIRONMENT
15 V 2 A DC min	Main cabinet - secondary cabinet <b>4 wires (2 twisted pairs)</b> Ø 8 mm Main cabinet - remote 3G unit <b>4 wires (2 twisted pairs)</b> Ø 8 mm Max. distance: 100 m	Main and additional module <b>660 mm x 390 mm x 140 mm</b>  Main module weight <b>24 kg</b> Additional module weight <b>20 kg</b>	Intercom operating temperature <b>0°C to +50°C</b> Intercom storage temperature <b>-20°C to +70°C</b> Intercom protection class <b>IP20</b>

## COMMUNICATING KEY CABINET RANGE

REFERENCES	KEY SAFE	OUR PRICES
16-0101-EN	Key cabinet - Main module including a 7" touch screen + 1 proximity reader (MIFARE) + unlimited updates for 12 years (3G unit supplied) - capacity for 24 sets of keys. Includes 1 programmer, 1 box of 30 electronic tags in assorted colours+ 1 pen and a 15 V power supply.	
16-0102-EN	Key cabinet - Additional module - capacity: 32 sets of keys	
ELECTRONIC TAGS - ETIKTRONIK		
08-0113	Box of 30 Etiktronik electronic tags - blue	
08-0114	Box of 30 Etiktronik electronic tags - red	
08-0115	Box of 30 Etiktronik electronic tags - green	
08-0116	Box of 30 Etiktronik electronic tags - 10 blue - 10 red - 10 green	
08-0117-EN	Box of 90 Etiktronik electronic tags - 30 blue - 30 red - 30 green + 1 USB programmer (12-0115-EN)	




### TIP

Sets of keys (equipped with an electronic keyring) can be placed in an INTRATONE "Exclusive" key safe.

Complete key management can be conducted via [www.organigramme.info](http://www.organigramme.info)



## SIMPLIFIED DIAGRAM





# ORGANIGRAMME

## Management site

- ❖ A free and secure **MANAGEMENT TOOL**
- ❖ To quickly find out **WHO** has taken the key and/or where the keys are now

Finally, a better way of managing keys!

**www.organigramme.info** is a secure web platform.

You can access it via

[www.intratone.com/managementwebsite/mykeys](http://www.intratone.com/managementwebsite/mykeys).

It is designed for managing, in real-time and without having to visit the site:

- sets of keys,
- related equipment (cabinets, safes or electronic tags / badges),
- the people using them.



### PRODUCT PLUS POINTS

- No need for IT work to be carried out, since there is no software to be installed.
- An email alert is sent to notify the individual.

## How does it work?

# 1

CREATE YOUR ACCOUNT

# 2

CREATE YOUR 'ORGANIGRAMME' OR CONFIGURE YOUR EQUIPMENT



# 3

QUICKLY ACCESS ALL DATA CONCERNING A SET OF KEYS, A USER, A CABINET, ETC.



# 4

YOU CAN CREATE AN 'ORGANIGRAMME' AND START USING IT IN JUST A FEW CLICKS





# SUMMARY

PRODUCT NAME	PAGE	PRODUCT NAME	PAGE
<b>A</b> Audio intercom - 1 way	<b>46</b>	Intrabox Data Eco - DATA Communication module	<b>64</b>
<b>B</b> Basic wiring diagrams (20 diagrams)	<b>7 to 23</b>	Intrabox Data Eco - RF receiver	<b>58</b>
Box for intercoms - surface-mounted	<b>47</b>	Intrabox Data Mini Integrated RF receiver	<b>66</b>
Box for coded keypad with or without proximity reader Surface-mounted	<b>85</b>	Intrabox Data Mini Integrated RF receiver Coded keypad	<b>67</b>
Box for proximity reader Surface-mounted or flush-fit	<b>85</b>	Intracode intercoms	<b>38</b>
<b>C</b> Central unit – 1 door	<b>53 / 79</b>	<b>O</b> Organigramme Management site	<b>94</b>
Central unit – 2 doors	<b>52 / 78</b>	<b>P</b> Portable programming terminal	<b>81</b>
1-door central units - Read/write	<b>72</b>	<b>R</b> Real-time coded keypad	<b>75</b>
Communicating key cabinets Main module / Additional module	<b>92</b>	Relay card (for 1-door central unit)	<b>54 / 80</b>
Communicating key safe	<b>90</b>	Remote controls 2 channels	<b>83</b>
3G communication modules	<b>51</b>	Remote controls 4 channels	<b>83</b>
3G-IP communication modules	<b>50</b>	Remote RF aerial	<b>85</b>
<b>D</b> 3G Data communication module	<b>84</b>	RF coded aerial	<b>85</b>
DDA compliant audio intercom - coded keypad / 6 push buttons	<b>34 / 36</b>	RF receivers read/write	<b>70</b>
Digital notice board	<b>48</b>	RF receivers real-time	<b>68</b>
<b>E</b> Electronic badges	<b>82</b>	"RENO" intercom	<b>40</b>
Electronic tags	<b>90 / 92</b>	<b>S</b> Square proximity reader	<b>76</b>
Extension card (for 2-door central unit)	<b>54 / 80</b>	Stand-alone dipswitch programmer	<b>81</b>
<b>H</b> HAUSSMANN coded keypad - Real-time or stand-alone	<b>74</b>	Stand-alone handle	<b>77</b>
<b>I</b> Intratone Telecom packages	<b>30</b>	<b>U</b> USB port programmer	<b>82</b>
Intrabox Data Eco - coded keypad with pushbutton or proximity reader	<b>60</b>	<b>V</b> Villa video intercoms - Flush-fit	<b>44</b>
Intrabox Data Eco - Haussmann coded keypad	<b>61</b>	Villa video intercoms - Surface-mounted	<b>42</b>
Intrabox Data Eco - Communicating key safe	<b>63</b>		
Intrabox Data Eco - Key safe with 1 call button	<b>62</b>	<b>Y</b> Your contacts	<b>96</b>
Intrabox Data Eco - Proximity reader	<b>59</b>		

# CONTACTS

**The Intratone team in Europe, covering all areas:**

- > 6 area sales managers
- > 3 sales assistants

**Our technical support is at your service:**

- > 4 hot line operators
- > 2 after-sales service technicians

100% of problems resolved!



## CUSTOMER SERVICE

